

## Cable Assembly

We provide the different types of pigtailed according to customer requirements for cables like RG213, RG400, RG17 & RG 58.

Model No:	Type Of Cable	Connector 1	Connector 2	Length ( Mtr )
<b>LMR200 Jumper Assembly</b>				
TW/LM200/NM-NM/01	LMR200	N-Male	N-Male	0.5
TW/LM200/NM-NF/01	LMR200	N-Male	N-Female	0.5
TW/LM200/NM-RPS/01	LMR200	N-Male	RPSMA	0.5
TW/LM200/NM-RPT/01	LMR200	N-Male	RPTNC	0.5
TW/LM200/NM-RPN/01	LMR200	N-Male	RPN	0.5
TW/LM200/NM-SMM/01	LMR200	N-Male	SMA-Male	0.5
TW/LM200/NF-RPS/01	LMR200	N-Female	RPSMA	0.5
TW/LM200/NF-RPT/01	LMR200	N-Female	RPTNC	0.5
TW/LM200/NF-RPN/01	LMR200	N-Female	RPN	0.5
TW/LM200/NM-NM/02	LMR200	N-Male	N-Male	1
TW/LM200/NM-NF/02	LMR200	N-Male	N-Female	1
TW/LM200/NM-RPS/02	LMR200	N-Male	RPSMA	1
TW/LM200/NM-RPT/02	LMR200	N-Male	RPTNC	1
TW/LM200/NM-RPN/02	LMR200	N-Male	RPN	1
TW/LM200/NM-SMM/02	LMR200	N-Male	SMA-Male	1
TW/LM200/NF-RPS/02	LMR200	N-Female	RPSMA	1
TW/LM200/NF-RPT/02	LMR200	N-Female	RPTNC	1
TW/LM200/NF-RPN/02	LMR200	N-Female	RPN	1
TW/LM200/NM-NM/03	LMR200	N-Male	N-Male	1.5
TW/LM200/NM-NF/03	LMR200	N-Male	N-Female	1.5
TW/LM200/NM-RPS/03	LMR200	N-Male	RPSMA	1.5
TW/LM200/NM-RPT/03	LMR200	N-Male	RPTNC	1.5
TW/LM200/NM-RPN/03	LMR200	N-Male	RPN	1.5
TW/LM200/NM-SMM/03	LMR200	N-Male	SMA-Male	1.5
TW/LM200/NF-RPS/03	LMR200	N-Female	RPSMA	1.5
TW/LM200/NF-RPT/03	LMR200	N-Female	RPTNC	1.5
TW/LM200/NF-RPN/03	LMR200	N-Female	RPN	1.5
TW/LM200/NM-NM/04	LMR200	N-Male	N-Male	2
TW/LM200/NM-NF/04	LMR200	N-Male	N-Female	2
TW/LM200/NM-RPS/04	LMR200	N-Male	RPSMA	2
TW/LM200/NM-RPT/04	LMR200	N-Male	RPTNC	2
TW/LM200/NM-RPN/04	LMR200	N-Male	RPN	2
TW/LM200/NM-SMM/04	LMR200	N-Male	SMA-Male	2
TW/LM200/NF-RPS/04	LMR200	N-Female	RPSMA	2
TW/LM200/NF-RPT/04	LMR200	N-Female	RPTNC	2
TW/LM200/NF-RPN/04	LMR200	N-Female	RPN	2
TW/LM200/NM-NM/05	LMR200	N-Male	N-Male	2.5
TW/LM200/NM-NF/05	LMR200	N-Male	N-Female	2.5
TW/LM200/NM-RPS/05	LMR200	N-Male	RPSMA	2.5
TW/LM200/NM-RPT/05	LMR200	N-Male	RPTNC	2.5
TW/LM200/NM-RPN/05	LMR200	N-Male	RPN	2.5
TW/LM200/NM-SMM/05	LMR200	N-Male	SMA-Male	2.5

TW/LM200/NF-RPS/05	LMR200	N-Female	RPSMA	2.5
TW/LM200/NF-RPT/05	LMR200	N-Female	RPTNC	2.5
TW/LM200/NF-RPN/05	LMR200	N-Female	RPN	2.5
TW/LM200/NM-NM/06	LMR200	N-Male	N-Male	3
TW/LM200/NM-NF/06	LMR200	N-Male	N-Female	3
TW/LM200/NM-RPS/06	LMR200	N-Male	RPSMA	3
TW/LM200/NM-RPT/06	LMR200	N-Male	RPTNC	3
TW/LM200/NM-RPN/06	LMR200	N-Male	RPN	3
TW/LM200/NM-SMM/06	LMR200	N-Male	SMA-Male	3
TW/LM200/NF-RPS/06	LMR200	N-Female	RPSMA	3
TW/LM200/NF-RPT/06	LMR200	N-Female	RPTNC	3
TW/LM200/NF-RPN/06	LMR200	N-Female	RPN	3
TW/LM200/CUST/07	LMR200			Customised
<b>LMR400 / 1/4" Jumper</b>				
TW/LM400/NM-NM/01	LMR400 / 1/4"	N-Male	N-Male	0.5
TW/LM400/NM-NF/01	LMR400 / 1/4"	N-Male	N-Female	0.5
TW/LM400/NM-RPN/01	LMR400 / 1/4"	N-Male	RPN	0.5
TW/LM400/NF-RPN/01	LMR400 / 1/4"	N-Female	RPN	0.5
TW/LM400/NM-DINM/01	LMR400 / 1/4"	N-Male	DIN-Male	0.5
TW/LM400/NM-DINF/01	LMR400 / 1/4"	N-Male	DIN-Female	0.5
TW/LM400/NF-DINM/01	LMR400 / 1/4"	N-Female	DIN-Male	0.5
TW/LM400/NF-DINF/01	LMR400 / 1/4"	N-Female	DIN-Female	0.5
TW/LM400/DINM-DINM/01	LMR400 / 1/4"	DIN-Male	DIN-Male	0.5
TW/LM400/DINM-DINF/01	LMR400 / 1/4"	DIN-Male	DIN-Female	0.5
TW/LM400/DINF-DINF/01	LMR400 / 1/4"	DIN-Female	DIN-Female	0.5
TW/LM400/NM-NM/02	LMR400 / 1/4"	N-Male	N-Male	1
TW/LM400/NM-NF/02	LMR400 / 1/4"	N-Male	N-Female	1
TW/LM400/NM-RPN/02	LMR400 / 1/4"	N-Male	RPN	1
TW/LM400/NF-RPN/02	LMR400 / 1/4"	N-Female	RPN	1
TW/LM400/NM-DINM/02	LMR400 / 1/4"	N-Male	DIN-Male	1
TW/LM400/NM-DINF/02	LMR400 / 1/4"	N-Male	DIN-Female	1
TW/LM400/NF-DINM/02	LMR400 / 1/4"	N-Female	DIN-Male	1
TW/LM400/NF-DINF/02	LMR400 / 1/4"	N-Female	DIN-Female	1
TW/LM400/DINM-DINM/02	LMR400 / 1/4"	DIN-Male	DIN-Male	1
TW/LM400/DINM-DINF/02	LMR400 / 1/4"	DIN-Male	DIN-Female	1
TW/LM400/DINF-DINF/02	LMR400 / 1/4"	DIN-Female	DIN-Female	1
TW/LM400/NM-NM/03	LMR400 / 1/4"	N-Male	N-Male	1.5
TW/LM400/NM-NF/03	LMR400 / 1/4"	N-Male	N-Female	1.5
TW/LM400/NM-RPN/03	LMR400 / 1/4"	N-Male	RPN	1.5
TW/LM400/NF-RPN/03	LMR400 / 1/4"	N-Female	RPN	1.5
TW/LM400/NM-DINM/03	LMR400 / 1/4"	N-Male	DIN-Male	1.5
TW/LM400/NM-DINF/03	LMR400 / 1/4"	N-Male	DIN-Female	1.5
TW/LM400/NF-DINM/03	LMR400 / 1/4"	N-Female	DIN-Male	1.5
TW/LM400/NF-DINF/03	LMR400 / 1/4"	N-Female	DIN-Female	1.5
TW/LM400/DINM-DINM/03	LMR400 / 1/4"	DIN-Male	DIN-Male	1.5
TW/LM400/DINM-DINF/03	LMR400 / 1/4"	DIN-Male	DIN-Female	1.5
TW/LM400/DINF-DINF/03	LMR400 / 1/4"	DIN-Female	DIN-Female	1.5
TW/LM400/NM-NM/04	LMR400 / 1/4"	N-Male	N-Male	2
TW/LM400/NM-NF/04	LMR400 / 1/4"	N-Male	N-Female	2
TW/LM400/NM-RPN/04	LMR400 / 1/4"	N-Male	RPN	2
TW/LM400/NF-RPN/04	LMR400 / 1/4"	N-Female	RPN	2
TW/LM400/NM-DINM/04	LMR400 / 1/4"	N-Male	DIN-Male	2

TW/LM400/NM-DINF/04	LMR400 / 1/4"	N-Male	DIN-Female	2
TW/LM400/NF-DINM/04	LMR400 / 1/4"	N-Female	DIN-Male	2
TW/LM400/NF-DINF/04	LMR400 / 1/4"	N-Female	DIN-Female	2
TW/LM400/DINM-DINM/04	LMR400 / 1/4"	DIN-Male	DIN-Male	2
TW/LM400/DINM-DINF/04	LMR400 / 1/4"	DIN-Male	DIN-Female	2
TW/LM400/DINF-DINF/04	LMR400 / 1/4"	DIN-Female	DIN-Female	2
TW/LM400/NM-NM/05	LMR400 / 1/4"	N-Male	N-Male	2.5
TW/LM400/NM-NF/05	LMR400 / 1/4"	N-Male	N-Female	2.5
TW/LM400/NM-RPN/05	LMR400 / 1/4"	N-Male	RPN	2.5
TW/LM400/NF-RPN/05	LMR400 / 1/4"	N-Female	RPN	2.5
TW/LM400/NM-DINM/05	LMR400 / 1/4"	N-Male	DIN-Male	2.5
TW/LM400/NM-DINF/05	LMR400 / 1/4"	N-Male	DIN-Female	2.5
TW/LM400/NF-DINM/05	LMR400 / 1/4"	N-Female	DIN-Male	2.5
TW/LM400/NF-DINF/05	LMR400 / 1/4"	N-Female	DIN-Female	2.5
TW/LM400/DINM-DINM/05	LMR400 / 1/4"	DIN-Male	DIN-Male	2.5
TW/LM400/DINM-DINF/05	LMR400 / 1/4"	DIN-Male	DIN-Female	2.5
TW/LM400/DINF-DINF/05	LMR400 / 1/4"	DIN-Female	DIN-Female	2.5
TW/LM400/NM-NM/06	LMR400 / 1/4"	N-Male	N-Male	3
TW/LM400/NM-NF/06	LMR400 / 1/4"	N-Male	N-Female	3
TW/LM400/NM-RPN/06	LMR400 / 1/4"	N-Male	RPN	3
TW/LM400/NF-RPN/06	LMR400 / 1/4"	N-Female	RPN	3
TW/LM400/NM-DINM/06	LMR400 / 1/4"	N-Male	DIN-Male	3
TW/LM400/NM-DINF/06	LMR400 / 1/4"	N-Male	DIN-Female	3
TW/LM400/NF-DINM/06	LMR400 / 1/4"	N-Female	DIN-Male	3
TW/LM400/NF-DINF/06	LMR400 / 1/4"	N-Female	DIN-Female	3
TW/LM400/DINM-DINM/06	LMR400 / 1/4"	DIN-Male	DIN-Male	3
TW/LM400/DINM-DINF/06	LMR400 / 1/4"	DIN-Male	DIN-Female	3
TW/LM400/DINF-DINF/06	LMR400 / 1/4"	DIN-Female	DIN-Female	3
TW/LM400/CUST/07	LMR400 / 1/4"			Customised
<b>1/2" Jumper</b>				
TW/1/2"/NM-NM/01	1/2"	N-Male	N-Male	0.5
TW/1/2"/NM-NF/01	1/2"	N-Male	N-Female	0.5
TW/1/2"/NM-DINM/01	1/2"	N-Male	DIN-Male	0.5
TW/1/2"/NM-DINF/01	1/2"	N-Male	DIN-Female	0.5
TW/1/2"/NF-DINM/01	1/2"	N-Female	DIN-Male	0.5
TW/1/2"/NF-DINF/01	1/2"	N-Female	DIN-Female	0.5
TW/1/2"/DINM-DINM/01	1/2"	DIN-Male	DIN-Male	0.5
TW/1/2"/DINM-DINF/01	1/2"	DIN-Male	DIN-Female	0.5
TW/1/2"/DINF-DINF/01	1/2"	DIN-Female	DIN-Female	0.5
TW/1/2"/NM-NM/02	1/2"	N-Male	N-Male	1
TW/1/2"/NM-NF/02	1/2"	N-Male	N-Female	1
TW/1/2"/NM-DINM/02	1/2"	N-Male	DIN-Male	1
TW/1/2"/NM-DINF/02	1/2"	N-Male	DIN-Female	1
TW/1/2"/NF-DINM/02	1/2"	N-Female	DIN-Male	1
TW/1/2"/NF-DINF/02	1/2"	N-Female	DIN-Female	1
TW/1/2"/DINM-DINM/02	1/2"	DIN-Male	DIN-Male	1
TW/1/2"/DINM-DINF/02	1/2"	DIN-Male	DIN-Female	1
TW/1/2"/DINF-DINF/02	1/2"	DIN-Female	DIN-Female	1
TW/1/2"/NM-NM/03	1/2"	N-Male	N-Male	1.5

TW/1/2"/NM-NF/03	1/2"	N-Male	N-Female	1.5
TW/1/2"/NM-DINM/03	1/2"	N-Male	DIN-Male	1.5
TW/1/2"/NM-DINF/03	1/2"	N-Male	DIN-Female	1.5
TW/1/2"/NF-DINM/03	1/2"	N-Female	DIN-Male	1.5
TW/1/2"/NF-DINF/03	1/2"	N-Female	DIN-Female	1.5
TW/1/2"/DINM-DIMN/03	1/2"	DIN-Male	DIN-Male	1.5
TW/1/2"/DINM-DINF/03	1/2"	DIN-Male	DIN-Female	1.5
TW/1/2"/DINF-DINF/03	1/2"	DIN-Female	DIN-Female	1.5
TW/1/2"/NM-NM/04	1/2"	N-Male	N-Male	2
TW/1/2"/NM-NF/04	1/2"	N-Male	N-Female	2
TW/1/2"/NM-DINM/04	1/2"	N-Male	DIN-Male	2
TW/1/2"/NM-DINF/04	1/2"	N-Male	DIN-Female	2
TW/1/2"/NF-DINM/04	1/2"	N-Female	DIN-Male	2
TW/1/2"/NF-DINF/04	1/2"	N-Female	DIN-Female	2
TW/1/2"/DINM-DIMN/04	1/2"	DIN-Male	DIN-Male	2
TW/1/2"/DINM-DINF/04	1/2"	DIN-Male	DIN-Female	2
TW/1/2"/DINF-DINF/04	1/2"	DIN-Female	DIN-Female	2
TW/1/2"/NM-NM/05	1/2"	N-Male	N-Male	2.5
TW/1/2"/NM-NF/05	1/2"	N-Male	N-Female	2.5
TW/1/2"/NM-DINM/05	1/2"	N-Male	DIN-Male	2.5
TW/1/2"/NM-DINF/05	1/2"	N-Male	DIN-Female	2.5
TW/1/2"/NF-DINM/05	1/2"	N-Female	DIN-Male	2.5
TW/1/2"/NF-DINF/05	1/2"	N-Female	DIN-Female	2.5
TW/1/2"/DINM-DIMN/05	1/2"	DIN-Male	DIN-Male	2.5
TW/1/2"/DINM-DINF/05	1/2"	DIN-Male	DIN-Female	2.5
TW/1/2"/DINF-DINF/05	1/2"	DIN-Female	DIN-Female	2.5
TW/1/2"/NM-NM/06	1/2"	N-Male	N-Male	3
TW/1/2"/NM-NF/06	1/2"	N-Male	N-Female	3
TW/1/2"/NM-DINM/06	1/2"	N-Male	DIN-Male	3
TW/1/2"/NM-DINF/06	1/2"	N-Male	DIN-Female	3
TW/1/2"/NF-DINM/06	1/2"	N-Female	DIN-Male	3
TW/1/2"/NF-DINF/06	1/2"	N-Female	DIN-Female	3
TW/1/2"/DINM-DIMN/06	1/2"	DIN-Male	DIN-Male	3
TW/1/2"/DINM-DINF/06	1/2"	DIN-Male	DIN-Female	3
TW/1/2"/DINF-DINF/06	1/2"	DIN-Female	DIN-Female	3
TW/1/2"/CUST/07	1/2"			Customised
<b>7/8 Jumper</b>				
TW/7/8/NM-NM/01	7/8	N-Male	N-Male	0.5
TW/7/8/NM-NF/01	7/8	N-Male	N-Female	0.5
TW/7/8/NM-DINM/01	7/8	N-Male	DIN-Male	0.5
TW/7/8/NM-DINF/01	7/8	N-Male	DIN-Female	0.5
TW/7/8/NF-DINM/01	7/8	N-Female	DIN-Male	0.5
TW/7/8/NF-DINF/01	7/8	N-Female	DIN-Female	0.5
TW/7/8/DINM-DIMN/01	7/8	DIN-Male	DIN-Male	0.5
TW/7/8/DINM-DINF/01	7/8	DIN-Male	DIN-Female	0.5
TW/7/8/DINF-DINF/01	7/8	DIN-Female	DIN-Female	0.5
TW/7/8/NM-NM/02	7/8	N-Male	N-Male	1
TW/7/8/NM-NF/02	7/8	N-Male	N-Female	1
TW/7/8/NM-DINM/02	7/8	N-Male	DIN-Male	1
TW/7/8/NM-DINF/02	7/8	N-Male	DIN-Female	1
TW/7/8/NF-DINM/02	7/8	N-Female	DIN-Male	1

TW/7/8/NF-DINF/02	7/8	N-Female	DIN-Female	1
TW/7/8/DINM-DIMN/02	7/8	DIN-Male	DIN-Male	1
TW/7/8/DINM-DINF/02	7/8	DIN-Male	DIN-Female	1
TW/7/8/DINF-DINF/02	7/8	DIN-Female	DIN-Female	1
TW/7/8/NM-NM/03	7/8	N-Male	N-Male	1.5
TW/7/8/NM-NF/03	7/8	N-Male	N-Female	1.5
TW/7/8/NM-DINM/03	7/8	N-Male	DIN-Male	1.5
TW/7/8/NM-DINF/03	7/8	N-Male	DIN-Female	1.5
TW/7/8/NF-DINM/03	7/8	N-Female	DIN-Male	1.5
TW/7/8/NF-DINF/03	7/8	N-Female	DIN-Female	1.5
TW/7/8/DINM-DIMN/03	7/8	DIN-Male	DIN-Male	1.5
TW/7/8/DINM-DINF/03	7/8	DIN-Male	DIN-Female	1.5
TW/7/8/DINF-DINF/03	7/8	DIN-Female	DIN-Female	1.5
TW/7/8/NM-NM/04	7/8	N-Male	N-Male	2
TW/7/8/NM-NF/04	7/8	N-Male	N-Female	2
TW/7/8/NM-DINM/04	7/8	N-Male	DIN-Male	2
TW/7/8/NM-DINF/04	7/8	N-Male	DIN-Female	2
TW/7/8/NF-DINM/04	7/8	N-Female	DIN-Male	2
TW/7/8/NF-DINF/04	7/8	N-Female	DIN-Female	2
TW/7/8/DINM-DIMN/04	7/8	DIN-Male	DIN-Male	2
TW/7/8/DINM-DINF/04	7/8	DIN-Male	DIN-Female	2
TW/7/8/DINF-DINF/04	7/8	DIN-Female	DIN-Female	2
TW/7/8/NM-NM/05	7/8	N-Male	N-Male	2.5
TW/7/8/NM-NF/05	7/8	N-Male	N-Female	2.5
TW/7/8/NM-DINM/05	7/8	N-Male	DIN-Male	2.5
TW/7/8/NM-DINF/05	7/8	N-Male	DIN-Female	2.5
TW/7/8/NF-DINM/05	7/8	N-Female	DIN-Male	2.5
TW/7/8/NF-DINF/05	7/8	N-Female	DIN-Female	2.5
TW/7/8/DINM-DIMN/05	7/8	DIN-Male	DIN-Male	2.5
TW/7/8/DINM-DINF/05	7/8	DIN-Male	DIN-Female	2.5
TW/7/8/DINF-DINF/05	7/8	DIN-Female	DIN-Female	2.5
TW/7/8/NM-NM/06	7/8	N-Male	N-Male	3
TW/7/8/NM-NF/06	7/8	N-Male	N-Female	3
TW/7/8/NM-DINM/06	7/8	N-Male	DIN-Male	3
TW/7/8/NM-DINF/06	7/8	N-Male	DIN-Female	3
TW/7/8/NF-DINM/06	7/8	N-Female	DIN-Male	3
TW/7/8/NF-DINF/06	7/8	N-Female	DIN-Female	3
TW/7/8/DINM-DIMN/06	7/8	DIN-Male	DIN-Male	3
TW/7/8/DINM-DINF/06	7/8	DIN-Male	DIN-Female	3
TW/7/8/DINF-DINF/06	7/8	DIN-Female	DIN-Female	3
TW/7/8/CUST/07	7/8			Customised



**TWIN ENGINEERS**

195 G.I.D.C Estate, Behind V.C.C.I. Complex,  
Makarpura, Vadodara, Gujarat-390010, INDIA  
PH: +91 265 2647987 / 9879105309

Telefax: +91 265 2633894

E-mail: [info@twinantennas.com](mailto:info@twinantennas.com) / [sales@twinantennas.com](mailto:sales@twinantennas.com)

Web: [www.twinantennas.com](http://www.twinantennas.com)

[www.twin-antennas.com](http://www.twin-antennas.com)

[www.twin-engineers.com](http://www.twin-engineers.com)