



2.4/15dBi



2.4/20dBi



2.4/24dBi



5.8/24dBi



5.8/27dBi



5.8/31dBi

## Die Casted Grid Antenna

PARAMETER	Frequency Range ( MHz )	Gain ( dBi )	VSWR	Polarization	F/B Ratio ( dB )	Power Handling ( Watt )	HPBW	Impedance ( Ohms )	Connector	Dimension ( mm )
<b>2.4 GHz Grid Antenna Die casted</b>										
TW/2.4/DC/GRID/15dBi/01	2400 to 2500	15	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	20°	50	N female	300 x 300
TW/2.4/DC/GRID/20dBi/01	2400 to 2500	20	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	15°	50	N female	400 x 600
TW/2.4/DC/GRID/24dBi/01	2400 to 2500	24	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	11°	50	N female	600 x 900
<b>5.8 GHz Grid Antenna Die casted</b>										
TW/5.8/DC/GRID/24dBi/01	5725 to 5875	24	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	11°	50	N female	300 x 400
TW/5.8/DC/GRID/27dBi/01	5725 to 5875	27	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	9°	50	N female	400 x 600
TW/5.8/DC/GRID/29dBi/01	5725 to 5875	29	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	7°	50	N female	600 x 900
TW/5.8/DC/GRID/31dBi/01	5725 to 5875	31	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	5°	50	N female	600 x 900
<b>5.0 GHz Grid Antenna Die casted</b>										
TW/5.0/DC/GRID/31dBi/01	5100 to 5850	31	≤ 1.5:1	Vertical or Horizontal	≥ 30	100	4°	50	N female	600 x 900
<b>3.3 GHz Grid Antenna Die casted</b>										
TW/3.3/DC/GRID/27dBi/01	3300-3700	27	≤ 1.4:1	Vertical or Horizontal	≥ 30	100	6°	50	N female	600 x 900



**TWIN ENGINEERS**  
 195 G.I.D.C Estate, Behind V.C.C.I. Complex,  
 Makarpura, Vadodara, Gujarat-390010, INDIA  
 PH: +91 265 2647987 / 9879105309  
 Telefax: +91 265 2633894  
 E-mail: [info@twinantennas.com](mailto:info@twinantennas.com) / [sales@twinantennas.com](mailto:sales@twinantennas.com)  
 Web: [www.twinantennas.com](http://www.twinantennas.com)  
[www.twin-antennas.com](http://www.twin-antennas.com)  
[www.twin-engineers.com](http://www.twin-engineers.com)