



2.4/18dBi

Patch Panel CPE Antenna



3G

PARAMETER	Frequency Range (MHz)	Gain (dBi)	VSWR	Polarization	F/B Ratio (dB)	Power Handaling (Watt)	HPBW-Vertical	HPBW-Horizontal	Inpedance (Ohms)	Connector	Dimention (mm)
2.4 GHz Patch Antenna											
TW/2.4/PANEL/9dBi	2400 to 2500	9	≤ 1.5:1	Vertical, linear	20	100	75°	65°	50	N female	110 X 110 X 32
TW/2.4/PANEL/14dBi	2400 to 2500	14	≤ 1.5:1	Vertical, linear	20	100	60°	60°	50	N female	110 X 110 X 32
TW/2.4/PANEL/18dBi	2400 to 2500	18	≤ 1.5:1	Vertical, linear	20	100	25°	25°	50	N female	260 X 260 X 35
5.8 GHz Patch Antenna											
TW/5.8/PANEL/9dBi	5725 to 5875	9	≤ 1.5:1	Vertical, linear	20	100	75°	65°	50	N female	110 X 110 X 32
TW/5.8/PANEL/14dBi	5725 to 5875	14	≤ 1.5:1	Vertical, linear	20	100	60°	60°	50	N female	110 X 110 X 32
TW/5.8/PANEL/16dBi	5725 to 5875	16	≤ 1.5:1	Vertical, linear	20	100	25°	25°	50	N female	136 X 136 X 30
Special Patch Antenna											
TC/PATCH/8dBi	824 to 960	8	≤ 1.5:1	Single Vertical	20	100	85°	40°	50	N female	136 X 136 X 30
TC/PATCH/12dBi	824 to 960	12	≤ 1.5:1	Single Vertical	20	100	90°	50°	50	N female	260 X 260 X 30
TC/PATCH/15dBi	824 to 960	15	≤ 1.5:1	Single Vertical	20	100	100°	60°	50	N female	320 X 320 X 65
TW/2.4/CP/14 dBi	2400 to 2500	14	≤ 1.5:1	Right Hand Circular	20	100	45°	45°	50	N female	245 X 245 X 35
TW/3G/PANEL/001	824-960 & 1710-2170	7/9	≤ 1.5:1	vertical	20	100	70°	90°	50	N female	210 X 180 X 40



TWIN ENGINEERS
 195 G.I.D.C Estate, Behind V.C.C.I. Complex,
 Makarpura, Vadodara, Gujarat-390010, INDIA
 PH: +91 265 2647987 / 9879105309
 Telefax: +91 265 2633894
 E-mail: info@twinantennas.com / sales@twinantennas.com
 Web: www.twinantennas.com
www.twin-antennas.com
www.twin-engineers.com